

Vertical cable management system

- For vertical cable management and storage the panels with 75 mm high plastic pins are used. They are mounted on the side of the installation vertical rails and together with them they are infinitely adjustable to the depth of the cabinet. They are available with one or two rows of plastic pins. The double-row panel can be covered with a hinged / removable cover.



RAB-VP-010-X1

Swing / removable cover	Height (U)
RAB-VP-O10-X1	10
RAB-VP-O15-X1	15
RAB-VP-O18-X1	18
RAB-VP-O22-X1	22
RAB-VP-O27-X1	27
RAB-VP-O32-X1	32
RAB-VP-O37-X1	37
RAB-VP-O42-X1	42
RAB-VP-O45-X1	45
RAB-VP-O47-X1	47

• RAB-VP-Oxx-X1

Swing, removable cover for cable management vertical panel.



RAB-VP-010-X1



• RAB-VP-H10-X1

Cable management vertical panel 10U - comb, for cabinets 800 mm width, RAL9005.



RAB-VP-H42-Y1

Single row	For height (U)
RAB-VP-H10-Y1	10
RAB-VP-H15-Y1	15
RAB-VP-H18-Y1	18
RAB-VP-H22-Y1	22
RAB-VP-H27-Y1	27
RAB-VP-H32-Y1	32
RAB-VP-H37-Y1	37
RAB-VP-H42-Y1	42
RAB-VP-H45-Y1	45
RAB-VP-H47-Y1	47

• RAB-VP-Hxx-Y1

Cable management vertical panel – single row, for 600 or 800 mm wide cabinets, RAL 9005.



RAB-VP-H42-X1

Double row	For height (U)
RAB-VP-H10-X1	10
RAB-VP-H15-X1	15
RAB-VP-H18-X1	18
RAB-VP-H22-X1	22
RAB-VP-H27-X1	27
RAB-VP-H32-X1	32
RAB-VP-H37-X1	37
RAB-VP-H42-X1	42
RAB-VP-H45-X1	45
RAB-VP-H47-X1	47

• RAB-VP-Hxx-X1

Cable management vertical panel – double row, for 800 mm wide cabinets, RAL 9005.

Cable management wire

- Vertical cable management wire trough including mounting rails for RMA-N1/RZA-N1/RTA/R YA/RDA free-standing cabinets in width of 800 mm. The wire troughs with a cross-section of 100/200/300x50 mm are designed for this purpose, the surface is galvanized. Trough lengths are 1200 mm for cabinet heights 27/32/37U and 1700 mm for cabinet heights 42/45/47U. The mounting profiles and brackets for fixing the wire trough are made of 1.3 mm thick steel sheet with a powder-coated finish. The set is designed for mounting on the depth of the cabinet, between the front and rear skeleton rail, in the area of the side cover. This makes efficient use of the space between 19" rails and cabinet side walls.

- **RAC-VZ-Dxx-X/Yx**

Cable management wire trough including mounting rails.

Included (for each piece) according to type Xx/Yx


Screw M5 x 12 with integrated corrugated washer

8/12x

Screw M6 x 12

8/12x

Plastic washer



100 mm trough for RMA-N1, RZA-N1, RTA, RDA including mounting rails

Type	Cabinet depth (mm)	Cabinet height (U)	Cross-section of the trough (mm)	Trough length (mm)
RAC-VZ-D06-X1	600	27U, 32U, 37U	100 x 50	1200
RAC-VZ-D08-X1	800			
RAC-VZ-D09-X1	900			
RAC-VZ-D10-X1	1000			
RAC-VZ-D11-X1	1100			
RAC-VZ-D12-X1	1200			

200 mm trough for RMA-N1, RZA-N1, RTA, RDA including mounting rails

Type	Cabinet depth (mm)	Cabinet height (U)	Cross-section of the trough (mm)	Trough length (mm)
RAC-VZ-D06-X2	600	27U, 32U, 37U	200 x 50	1200
RAC-VZ-D08-X2	800			
RAC-VZ-D09-X2	900			
RAC-VZ-D10-X2	1000			
RAC-VZ-D11-X2	1100			
RAC-VZ-D12-X2	1200			

300 mm trough for RMA-N1, RZA-N1, RTA, RDA including mounting rails

Type	Cabinet depth (mm)	Cabinet height (U)	Cross-section of the trough (mm)	Trough length (mm)
RAC-VZ-D06-X3	600	27U, 32U, 37U	300 x 50	1200
RAC-VZ-D08-X3	800			
RAC-VZ-D09-X3	900			
RAC-VZ-D10-X3	1000			
RAC-VZ-D11-X3	1100			
RAC-VZ-D12-X3	1200			

100 mm trough for RMA-N1, RZA-N1, RTA, RDA including mounting rails

Type	Cabinet depth (mm)	Cabinet height (U)	Cross-section of the trough (mm)	Trough length (mm)
RAC-VZ-D06-Y1	600	42U, 45U, 47U	100 x 50	1700
RAC-VZ-D08-Y1	800			
RAC-VZ-D09-Y1	900			
RAC-VZ-D10-Y1	1000			
RAC-VZ-D11-Y1	1100			
RAC-VZ-D12-Y1	1200			

200 mm trough for RMA-N1, RZA-N1, RTA, RDA including mounting rails

Type	Cabinet depth (mm)	Cabinet height (U)	Cross-section of the trough (mm)	Trough length (mm)
RAC-VZ-D06-Y2	600	42U, 45U, 47U	200 x 50	1700
RAC-VZ-D08-Y2	800			
RAC-VZ-D09-Y2	900			
RAC-VZ-D10-Y2	1000			
RAC-VZ-D11-Y2	1100			
RAC-VZ-D12-Y2	1200			

300 mm trough for RMA-N1, RZA-N1, RTA, RDA including mounting rails

Type	Cabinet depth (mm)	Cabinet height (U)	Cross-section of the trough (mm)	Trough length (mm)
RAC-VZ-D06-Y3	600	42U, 45U, 47U	300 x 50	1700
RAC-VZ-D08-Y3	800			
RAC-VZ-D09-Y3	900			
RAC-VZ-D10-Y3	1000			
RAC-VZ-D11-Y3	1100			
RAC-VZ-D12-Y3	1200			



RAX-DR-X01-X1

- **RAX-DR-X01-X1**

Rear holder of shelves for RBA wall mounted cabinets (pair).



RAX-DR-X02-X1

- **RAX-DR-X02-X1**

Shelf holders for middle vertical rail of free-standing cabinets deeper than 800 mm (pair).




RAX-DR-X03-X1

- **RAX-DR-X03-X1**

Holder for middle rail (pair), allows installation of standard 19" equipment.

Supply

Screw M6 x 10	4x
Plastic washer	4x
Captive nut M6	4x



RAX-RV-X01-X2

- **RAX-RV-X01-X2**

Adapter 23"/21" and 21"/19" universal for 1U (pair).



RAB-VP-X12-X1

- **RAB-VP-X12-X1, RAC-VP-X12-X1**

Special cable management panel is intended for installation on cabinet's vertical rails and on vertical perforation in the rear section of wall-mounted cabinets.

The easy fixing system consists in hanging on the vertical rail. A contra directional pin prevents an undesirable release.

Width 170 mm, height 150 mm.



RAB-MS-X21-X1, RAB-MS-X23-X1

- **RAB-MS-X21-X1, RAC-MS-X21-X1, RAB-MS-X23-X1, RAC-MS-X23-X1**

Plastic cable management ring big / small for cable management 60 x 30 mm / 35 x 30 mm.